

# Beauvais

## Beauvais Pattern

The Beauvais pattern is a basket weave pattern of French descent. This pattern runs continually throughout the room or rooms and can be installed with or without room borders. This is an exceptionally beautiful pattern when specified with walnut and the small stone buttons. The wood pickets can be one piece or broken into three pieces.

### Specifications

**Dimensions:** Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.  
Widths: Running basket weave pattern. Pickets from 3" to 8" wide.  
Buttons will be  $\frac{1}{4}$ " the width of the pickets.

**Edges:** Beveled or micro beveled, hand planed, hand scraped, or straight.  
Straight edges should be site finished.

**Surface:** Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


**Colors:** Standard colors, ebonized, painted, inked or custom.

**Finishes:** Hand rubbed oil or wax.

**Accessories:** Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

**Installation:** Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

**Related Products:** Plank flooring, custom borders and millworks.



# Versailles

## Versailles Parquet pattern

The Versailles pattern dates back several centuries and was made famous by the installation into the palace of Versailles in the 17<sup>th</sup> century. The Versailles pattern works with almost all species of flooring we offer, especially antique oak. Hand cut square pegs, chateau, and hand scraping all make the Versailles pattern look very elegant. This pattern should be installed using borders.

### Specifications

Dimensions: Thickness ½” or ¾”, custom thickness available upon request.  
Widths: 36”, 42”, 48”. Custom widths available upon request. These are usually designed to fit a certain room or space.

Edges: Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

Surface: Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


Colors: Standard colors, ebonized, painted, inked or custom.

Finishes: Hand rubbed oil or wax.

Accessories: Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

Installation: Above grade. Below grade with approved sub-floor preparations. ½” product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

Related Products: Plank flooring, custom borders and millworks.



# Vannes

## Vannes Parquet Pattern

The Vannes pattern is a type pattern of unknown decent. This pattern is normally installed straight with a border. This pattern looks good with almost any species of wood and can be mixed with stone.

Dimensions: Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.  
Widths: 36", 42", 48". Custom widths available upon request. These are usually designed to fit a certain room or space.

Edges: Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

Surface: Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


Colors: Standard colors, ebonized, painted, inked or custom.

Finishes: Hand rubbed oil or wax.

Accessories: Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

Installation: Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

Related Products: Plank flooring, custom borders and millworks.



# Saint Tropez

## Saint Tropez Parquet pattern

The Saint Tropez pattern is a type pattern of unknown decent. This pattern can be installed straight or at a 45-degree angle for a different look. This pattern looks good with almost any species of wood and can be mixed with stone.

**Dimensions:** Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.  
Widths: 36", 42", 48". Custom widths available upon request. These are usually designed to fit a certain room or space.

**Edges:** Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

**Surface:** Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


**Colors:** Standard colors, ebonized, painted, inked or custom.

**Finishes:** Hand rubbed oil or wax.

**Accessories:** Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

**Installation:** Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

**Related Products:** Plank flooring, custom borders and millworks.



# Saint La-Caneda

## Saint la Canéda

The pattern is an old pattern of French descent. This pattern can be installed straight or at a 45-degree angle for a different look. This pattern looks good with almost any wood species.

### Specifications

**Dimensions:** Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.  
Widths: 36", 42", and 48". Custom widths available on request. These are usually designed to fit a certain room or space.

**Edges:** Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

**Surface:** Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


**Colors:** Standard colors, ebonized, painted, inked or custom.

**Finishes:** Hand rubbed oil or wax.

**Accessories:** Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

**Installation:** Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

**Related Products:** Plank flooring, custom borders and millworks.



# Saint Flour

## Saint Flour Pattern

The Saint Flour pattern is a block pattern of unknown decent. This pattern is normally installed straight and can be done with or without room borders. The Saint Flour pattern looks good with almost any species of wood. Different colors/species of wood can be used for the outside frames.

### Specifications

**Dimensions:** Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.  
Widths: 36", 42" or 48". Custom widths available upon request. These are usually designed to fit a certain room or space.

**Edges:** Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

**Surface:** Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


**Colors:** Standard colors, ebonized, painted, inked or custom.

**Finishes:** Hand rubbed oil or wax.

**Accessories:** Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

**Installation:** Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

**Related Products:** Plank flooring, custom borders and millworks.



# Pays de la Loire

## The Pays de la Loire Pattern

The Pays de la Loire pattern is an old European pattern. This pattern can be installed straight or at a 45-angle for a different look. This pattern looks good with almost any species of wood and can be mixed with stone.

### Specifications

**Dimensions:** Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.  
Widths: 36", 42", and 48". Custom widths available on request. These are usually designed to fit a certain room or space.

**Edges:** Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

**Surface:** Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


**Colors:** Standard colors, ebonized, painted, inked or custom.

**Finishes:** Hand rubbed oil or wax.

**Accessories:** Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

**Installation:** Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

**Related Products:** Plank flooring, custom borders and millworks.



# Orleans



1811 | OLDE | 1899  
SAVANNAH  
FLOORING COMPANY

## Orleans Pattern

The Orleans pattern is a basket weave type pattern of French decent. This pattern is normally installed straight and can be done with or without room borders. This pattern looks good with almost any species of wood and can be mixed with stone.

### Specifications

**Dimensions:** Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.  
Widths: 36", 42", 48". Custom widths available upon request. These are usually designed to fit a certain room or space.

**Edges:** Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

**Surface:** Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


**Colors:** Standard colors, ebonized, painted, inked or custom.

**Finishes:** Hand rubbed oil or wax.

**Accessories:** Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

**Installation:** Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

**Related Products:** Plank flooring, custom borders and millworks.



## Limaux Pattern

The Limaux pattern is a basket weave type pattern of unknown decent. This pattern is normally installed straight and can be done with or without room borders. This pattern looks good with almost any species of wood and can be mixed with stone.

**Dimensions:** Thickness ½” or ¾”, custom thickness available upon request.  
Widths: 36”, 42”, 48”. Custom widths available upon request. These are usually designed to fit a certain room or space.

**Edges:** Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

**Surface:** Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


**Colors:** Standard colors, ebonized, painted, inked or custom.

**Finishes:** Hand rubbed oil or wax.

**Accessories:** Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

**Installation:** Above grade. Below grade with approved sub-floor preparations. ½” product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

**Related Products:** Plank flooring, custom borders and millworks.



# Monticello

## Monticello 9

The Monticello pattern has been re-produced from Thomas Jefferson's Virginia plantation home he called Monticello. This pattern was originally installed with beach pickets surrounding cherry centers. Different species, colors, or even stone can be placed in the centers; the pickets usually are a different species for a very custom look. While President Jefferson most likely copied this pattern from one of his trips to Europe, we still consider this pattern to be an American classic.

### Specifications

**Dimensions:** Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.  
Widths: 12", 16", and 18". Custom widths available upon request. These are usually designed to fit a certain room or space.

**Edges:** Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

**Surface:** Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


**Colors:** Standard colors, ebonized, painted, inked or custom.

**Finishes:** Hand rubbed oil or wax.

**Accessories:** Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

**Installation:** Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

**Related Products:** Plank flooring, custom borders and millworks.



# Marseille

## Marseille Pattern

The Marseille pattern is a block pattern of unknown decent. This pattern is normally installed straight and can be done with or without room borders. The Marseille pattern looks good with almost any species of wood. Different colors/species of wood can be used for the outside frames.

### Specifications

**Dimensions:** Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.  
Widths: 36", 42" or 48". Custom widths available upon request. These are usually designed to fit a certain room or space.

**Edges:** Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

**Surface:** Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


**Colors:** Standard colors, ebonized, painted, inked or custom.

**Finishes:** Hand rubbed oil or wax.

**Accessories:** Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

**Installation:** Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

**Related Products:** Plank flooring, custom borders and millworks.



# Marie Antionette

## Marie Antoinette

The Marie Antoinette pattern is similar to the Versailles, but without the borders. This pattern runs continually throughout the room or rooms and can be installed with or without room borders. This is an exceptionally beautiful pattern when specified with walnut and handscraped. The wooden squares in the pattern can be substituted with stone for a very beautiful basket weave pattern.

### Specifications

**Dimensions:** Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.

**Widths:** Running basket weave pattern. Squares are normally 5" and the Pickets 3. However, these can be almost any size.

**Edges:** Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.


**Colors:** Standard colors, ebonized, painted, inked or custom.

**Finishes:** Hand rubbed oil or wax.

**Accessories:** Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

**Installation:** Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

**Related Products:** Plank flooring, custom borders and millworks.



# Louvre ( Small Plank )

## Louvre with Small Planks

The Louvre small plank pattern is of a French decent. This pattern is installed on a 45-degree angle and can be done with or without room borders. The Louvre small plank pattern is the same as the Louvre pattern, but is shown here with smaller boards. This looks good with almost any species of wood. Different color/species of wood can be used with a repeating pattern across each panel.

### Specifications

**Dimensions:** Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.  
Widths: 32", 40" or 48". Custom widths available upon request. These are usually designed to fit a certain room or space.

**Edges:** Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

**Surface:** Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


**Colors:** Standard colors, ebonized, painted, inked or custom.

**Finishes:** Hand rubbed oil or wax.

**Accessories:** Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

**Installation:** Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

**Related Products:** Plank flooring, custom borders and millworks.



# Louvre ( Large Plank )

## Louvre Pattern

The Louvre pattern is of a French decent. This pattern is installed on a 45-degree angle and can be done with or without room borders. This looks good with almost any species of wood. Different color/species of wood can be used with a repeating pattern across each panel.

### Specifications

**Dimensions:** Thickness ½” or ¾”, custom thickness available upon request.  
Widths: 36”, 42” or 48”. Custom widths available upon request. These are usually designed to fit a certain room or space.

**Edges:** Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

**Surface:** Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


**Colors:** Standard colors, ebonized, painted, inked or custom.

**Finishes:** Hand rubbed oil or wax.

**Accessories:** Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

**Installation:** Above grade. Below grade with approved sub-floor preparations. ½” product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

**Related Products:** Plank flooring, custom borders and millworks.



## Herringbone pattern. "English"

The Herringbone pattern dates back several centuries and can be found in England and throughout Europe and America. This particular herringbone with the overlapping ends we call our English style. The English herringbone works with almost all species of flooring we offer. When specifying this product is important to think about borders, since this frames the herringbone to create a beautiful floor or ceiling. Borders should be the same widths as the herringbone flooring planks.

### Specifications

**Dimensions:** Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.  
Widths: 1  $\frac{1}{2}$ " thru 6". Custom widths available upon request. The dimensions of the herringbone needs to be specified to fit a particular space.

**Edges:** Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

**Surface:** Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


**Colors:** Standard colors, ebonized, painted, inked or custom.

**Finishes:** Hand rubbed oil or wax.

**Accessories:** Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

**Installation:** Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

**Related Products:** Plank flooring, custom borders and millworks.



## Herringbone pattern. "French" or Chevron

The Herringbone pattern dates back several centuries and is usually found in France. The French herringbone works with almost all species of flooring we offer, especially walnut. Where borders look good with the French style, they are not necessary.

### Specifications

**Dimensions:** Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.  
Widths: 1  $\frac{1}{2}$ " thru 6". Custom widths available upon request. The dimensions of the herringbone needs to be specified to fit a particular space.

**Edges:** Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

**Surface:** Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


**Colors:** Standard colors, ebonized, painted, inked or custom.

**Finishes:** Hand rubbed oil or wax.

**Accessories:** Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

**Installation:** Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

**Related Products:** Plank flooring, custom borders and millworks.



# Chatellerault

## Chaterllerault Pattern/Versailles Parquet with background

The traditional Versailles pattern has been cut to create an illusion of a background of squares. These squares can have the same or different species of the main pattern, or even stone. This pattern should be installed using borders of either wood or stone. This is a very elegant pattern.

### Specifications

**Dimensions:** Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.  
Widths: 36", 42", and 48". Custom widths available upon request. These are usually designed to fit a certain room or space.

**Edges:** Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

**Surface:** Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


**Colors:** Standard colors, ebonized, painted, inked or custom.

**Finishes:** Hand rubbed oil or wax.

**Accessories:** Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

**Installation:** Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

**Related Products:** Plank flooring, custom borders and millworks.



# Chardonnay

## Chardonnay Parquet pattern

The Chardonnay pattern is a type pattern of unknown decent. This pattern can be installed straight or at a 45-degree angle for a different look. This pattern looks good with almost any species of wood and can be mixed with stone.

**Dimensions:** Thickness ½” or ¾”, custom thickness available upon request.  
Widths: 36”, 42”, 48”. Custom widths available upon request. These are usually designed to fit a certain room or space.

**Edges:** Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

**Surface:** Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


**Colors:** Standard colors, ebonized, painted, inked or custom.

**Finishes:** Hand rubbed oil or wax.

**Accessories:** Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

**Installation:** Above grade. Below grade with approved sub-floor preparations. ½” product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

**Related Products:** Plank flooring, custom borders and millworks.



# Brittany

## Brittany Parquet pattern

The Bordeaux pattern is a classic French floor pattern dating back several centuries. When specified, we recommended the Chateau effect and hand scraping with hand cut square pegs for an old authentic look. When using antique oak this product looks very old and rich.

### Specifications

Dimensions: Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.  
Widths: 36", 42", 48". Custom widths available upon request. These are usually designed to fit a certain room or space.

Edges: Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

Surface: Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


Colors: Standard colors, ebonized, painted, inked or custom.

Finishes: Hand rubbed oil or wax.

Accessories: Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

Installation: Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

Related Products: Plank flooring, custom borders and millworks.



EST. 1919 | OLDE 1999  
SAVANNAH  
FLOORING COMPANY

# Bordeaux

## Bordeaux Parquet pattern

The Bordeaux pattern is a classic French floor pattern dating back several centuries. When specified, we recommended the Chateau effect and hand scraping with hand cut square pegs for an old authentic look. When using antique oak this product looks very old and rich.

### Specifications

Dimensions: Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.  
Widths: 36", 42", 48". Custom widths available upon request. These are usually designed to fit a certain room or space.

Edges: Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

Surface: Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


Colors: Standard colors, ebonized, painted, inked or custom.

Finishes: Hand rubbed oil or wax.

Accessories: Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

Installation: Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

Related Products: Plank flooring, custom borders and millworks.



EST. 1919 | OLDE | 1919  
SAVANNAH  
FLOORING COMPANY

# Bayux

## Bayux Parquet pattern

The Bayux pattern is a type pattern of unknown decent. This pattern can be installed straight or at a 45-degree angle for a different look. This pattern looks good with almost any species of wood and can be mixed with stone.

Dimensions: Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.  
Widths: 36", 42", 48". Custom widths available upon request. These are usually designed to fit a certain room or space.

Edges: Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

Surface: Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.


Colors: Standard colors, ebonized, painted, inked or custom.

Finishes: Hand rubbed oil or wax.

Accessories: Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

Installation: Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

Related Products: Plank flooring, custom borders and millworks.



# Versailles

( With Custom Border )

## Versailles Parquet with pickets

The traditional Versailles parquet pattern dressed with pickets to create a beautiful pattern. These can be custom designed to fit any room. Different species, colors, or even stone can be placed in the corners of the pickets for a very custom look.

### Specifications

**Dimensions:** Thickness  $\frac{1}{2}$ " or  $\frac{3}{4}$ ", custom thickness available upon request.  
Widths: 36", 42", and 48". Custom widths available upon request. These are usually designed to fit a certain room or space.

**Edges:** Beveled or micro beveled, hand planed, hand scraped, or straight. Straight edges should be site finished.

**Surface:** Flat, hand scraped, rough sawn, chateau, wire brushed, blasted or a combination.

**Colors:** Standard colors, ebonized, painted, inked or custom.

**Finishes:** Hand rubbed oil or wax.

**Accessories:** Custom reducers, borders, stone, stair treads, stair parts, millwork, beams, and or ceiling and wall panels.

**Installation:** Above grade. Below grade with approved sub-floor preparations.  $\frac{1}{2}$ " product can be direct glued to concrete. Installation over radiant heat approved for all dimensions.

**Related Products:** Plank flooring, custom borders and millworks.